

- Keeping of this animal does not require a licence.
- Keeping of this animal requires a Standard Licence.
- Keeping of this animal requires a Specialised or Advanced licence.

A

- Adelaide rosella (*Platycercus elegans adelaidae*)
- Apostlebird (*Struthidea cinerea*)
- Australasian figbird (*Sphecotheres vieilloti*)
- Australasian shoveler (*Spatula rhynchotis*)
- Australian brush-turkey (*Alectura lathami*)
- Australian magpie (*Gymnorhina tibicen*)
- Australian ringneck (*Barnardius zonarius*)
- Australian shelduck (*Tadorna tadornoides*)
- Australian white ibis (*Threskiornis molucca*)
- Australian wood duck (*Chenonetta jubata*)

B

- Banded lapwing (*Vanellus tricolor*)
- Banded stilt (*Cladorhynchus leucocephalus*)
- Bar-shouldered dove (*Geopelia humeralis*)
- Baudin's black-cockatoo (*Calyptorhynchus baudinii*)
- Beautiful firetail (*Stagonopleura bella*)
- Black swan (*Cygnus atratus*)
- Black-breasted button-quail (*Turnix melanogaster*)
- Black-faced woodswallow (*Artamus cinereus*)
- Black-tailed native hen (*Gallinula ventralis*)
- Black-throated finch (*Poephila cincta*)
- Black-winged stilt (*Himantopus himantopus*)
- Blue bonnet (*Northiella haematogaster*)
- Blue-billed duck (*Oxyura australis*)
- Blue-breasted fairy-wren (*Malurus pulcherrimus*)
- Blue-faced honeyeater (*Entomyzon cyanotis*)
- Blue-faced parrot-finch (*Erythrura trichroa*)
- Blue-winged kookaburra (*Dacelo leachii*)
- Blue-winged parrot (*Neophema chrysostoma*)
- Bourke's parrot (*Neopsephotus bourkii*)
- Brown cuckoo-dove (*Macropygia amboinensis*)
- Brown quail (*Synoicus ypsilophora*)
- Brush bronzewing (*Phaps elegans*)
- Budgerigar (*Melopsittacus undulatus*)
- Buff-banded rail (*Gallirallus philippensis*)
- Buff-breasted button-quail (*Turnix olivii*)
- Bush stone-curlew (*Burhinus grallarius*)

C

- Cape Barren goose (*Cereopsis novaehollandiae*)
- Carnaby's black-cockatoo (*Calyptorhynchus latirostris*)
- Flame robin (*Petroica phoenicea*)
- Flock bronzewing (*Phaps histrionica*)
- Forest kingfisher (*Todiramphus macleayi*)
- Freckled duck (*Stictonetta naevosa*)
- Cattle egret (*Bubulcus ibis*)
- Chestnut rail (*Eulabeornis castaneiventris*)
- Chestnut teal (*Anas castanea*)
- Chestnut-backed button-quail (*Turnix castanota*)
- Chestnut-breasted mannikin (*Lonchura castaneothorax*)
- Chestnut-quilled rock-pigeon (*Petrophassa rufipennis*)
- Cockatiel (*Nymphicus hollandicus*)
- Common bronzewing (*Phaps chalcoptera*)
- Cotton pygmy-goose (*Nettapus coromandelianus*)
- Crescent honeyeater (*Phylidonyris pyrrhopterus*)
- Crested pigeon (*Ocyphaps lophotes*)
- Crimson chat (*Epthianura tricolor*)
- Crimson finch (*Neochmia phaeton*)
- Crimson rosella (*Platycercus elegans elegans*)

D

- Diamond dove (*Geopelia cuneata*)
- Diamond firetail (*Stagonopleura guttata*)
- Dollarbird (*Eurystomus orientalis*)
- Double-barred finch (*Taeniopygia bichenovii*)
- Dusky moorhen (*Gallinula tenebrosus*)
- Dusky woodswallow (*Artamus cyanopterus*)

E

- Eastern rosella (*Platycercus eximius*)
- Eastern spinebill (*Acanthorhynchus tenuirostris*)
- Eastern whipbird (*Psophodes olivaceus*)
- Eastern yellow robin (*Eopsaltria australis*)
- Eclectus parrot (Australian subspecies) (*Eclectus roratus macgillivrayi*)
- Eclectus parrot (*Eclectus roratus* (other than *Eclectus roratus macgillivrayi*))
- Elegant parrot (*Neophema elegans*)
- Emerald dove (*Chalcophaps longirostris*)
- Eurasian coot (*Fulica atra*)

F

- Flame robin (*Petroica phoenicea*)
- Flock bronzewing (*Phaps histrionica*)
- Forest kingfisher (*Todiramphus macleayi*)
- Freckled duck (*Stictonetta naevosa*)

G

- Galah (*Eolophus roseicapilla*)
- Gang-gang cockatoo (*Callocephalon fimbriatum*)
- Glossy black-cockatoo (*Calyptorhynchus lathami*)
- Glossy ibis (*Plegadis falcinellus*)
- Golden whistler (*Pachycephala pectoralis*)
- Golden-shouldered parrot (*Psephotus chrysopterygius*)
- Gouldian finch (*Chloebia gouldiae*)
- Green catbird (*Ailuroedus crassirostris*)
- Green pygmy-goose (*Nettapus pulchellus*)
- Green rosella (*Platycercus caledonicus*)
- Grey teal (*Anas gracilis*)

H

- Hardhead (*Aythya australis*)
- Hooded parrot (*Psephotus dissimilis*)
- Hooded robin (*Melanodryas cucullata*)

I

- Inland dotterel (*Peltohyas australis*)

K

- King parrot (*Alisterus scapularis*)
- King quail (*Synoicus chinensis*)

L

- Laughing kookaburra (*Dacelo novaeguineae*)
- Lewin's honeyeater (*Meliphaga lewinii*)
- Little button-quail (*Turnix velox*)
- Little corella (*Cacatua sanguinea*)
- Little egret (*Egretta garzetta*)
- Little friarbird (*Philemon citreogularis*)
- Little lorikeet (*Parvipsitta pusilla*)
- Little pied cormorant (*Microcarbo melanoleucos*)
- Little wattlebird (*Anthochaera chrysoptera*)
- Long-billed corella (*Cacatua tenuirostris*)
- Long-tailed finch (*Poephila acuticauda*)
- Lovely fairy-wren (*Malurus amabilis*)

M

- Macleay's fig-parrot (*Cyclopsitta diophthalma macleayana*)
- Magpie goose (*Anseranas semipalmata*)
- Magpie-lark (*Grallina cyanoleuca*)
- Major Mitchell's cockatoo (*Lophochroa leadbeateri leadbeateri*)
- Masked finch (*Poephila personata*)
- Masked lapwing (*Vanellus miles*)
- Masked woodswallow (*Artamus personatus*)
- Metallic starling (*Aplonis metallica*)
- Mistletoebird (*Dicaeum hirundinaceum*)
- Mulga parrot (*Psephotus varius*)
- Musk duck (*Biziura lobata*)
- Musk lorikeet (*Glossopsitta concinna*)

N

- Naretha blue bonnet (*Northiella haematogaster narethae*)
- New Holland honeyeater (*Phylidonyris novaehollandiae*)
- Noisy friarbird (*Philemon corniculatus*)
- Noisy miner (*Manorina melanocephala*)
- Noisy pitta (*Pitta versicolor*)
- Northern rosella (*Platycercus venustus*)

O

- Olive-backed oriole (*Oriolus sagittatus*)
- Olive-backed sunbird (*Cinnyris jugularis*)
- Orange chat (*Epthianura aurifrons*)

P

- Pacific black duck (*Anas superciliosa*)
- Painted button-quail (*Turnix varius*)
- Painted finch (*Emblema pictum*)
- Pale-headed rosella (*Platycercus adscitus*)
- Partridge pigeon (*Geophaps smithii*)
- Peaceful dove (*Geopelia striata*)
- Pheasant coucal (*Centropus phasianinus*)
- Pictorella mannikin (*Heteromunia pectoralis*)
- Pied heron (*Egretta picata*)
- Pied honeyeater (*Certhionyx variegatus*)
- Pied imperial-pigeon (*Ducula bicolor*)
- Pink-eared duck (*Malacorhynchus membranaceus*)
- Plum-headed finch (*Neochmia modesta*)
- Plumed whistling-duck (*Dendrocygna eytoni*)
- Princess parrot or Alexandra's parrot (*Polytelis alexandrae*)
- Purple swamphen (*Porphyrio melanotus*)
- Purple-backed fairy-wren (*Malurus assimilis*)
- Purple-crowned fairy-wren (*Malurus coronatus*)
- Purple-crowned lorikeet (*Glossopsitta porphyrocephala*)

R

- Radjah shelduck (*Radjah radjah*)
- Rainbow bee-eater (*Merops ornatus*)
- Rainbow lorikeet (*Trichoglossus haematodus moluccanus*)
- Rainbow pitta (*Pitta iris*)
- Red wattlebird (*Anthochaera carunculata*)
- Red-backed button-quail (*Turnix maculosus*)
- Red-backed fairy-wren (*Malurus melanocephalus*)
- Red-backed kingfisher (*Todiramphus pyrrhopygius*)
- Red-browed finch (*Neochmia temporalis*)
- Red-capped parrot (*Purpureicephalus spurius*)
- Red-capped robin (*Petroica goodenovii*)
- Red-chested button-quail (*Turnix pyrrhothorax*)
- Red-collared lorikeet (*Trichoglossus haematodus rubritorquatus*)
- Red-eared firetail (*Stagonopleura oculata*)
- Red-rumped parrot (*Psephotus haematonotus*)
- Red-tailed black-cockatoo (*Calyptorhynchus banksii*)
- Red-winged fairy-wren (*Malurus elegans*)
- Red-winged parrot (*Aprosmictus erythropterus*)
- Regent bowerbird (*Sericulus chrysocephalus*)
- Regent parrot (*Polytelis anthopeplus*)
- Rock parrot (*Neophema petrophila*)
- Rose-crowned fruit-dove (*Ptilinopus regina*)
- Royal spoonbill (*Platalea regia*)
- Rufous whistler (*Pachycephala rufiventris*)
- Rusty grasswren (*Amytornis rowleyi*)

S

- Sacred kingfisher (*Todiramphus sanctus*)
- Satin bowerbird (*Ptilonorhynchus violaceus*)
- Scaly-breasted lorikeet (*Trichoglossus chlorolepidotus*)
- Scarlet honeyeater (*Myzomela sanguinolenta*)
- Scarlet robin (*Petroica boodang*)
- Scarlet-chested parrot (*Neophema splendida*)
- Spinifex pigeon (*Geophaps plumifera*)
- Spiny-cheeked honeyeater (*Acanthagenys rufogularis*)
- Splendid fairy-wren (*Malurus splendens*)
- Spotted bowerbird (*Chlamydera maculata*)
- Spotted pardalote (*Pardalotus punctatus*)
- Squatter pigeon (*Geophaps scripta scripta*)
- Star finch (*Neochmia ruficauda*)
- Straw-necked ibis (*Threskiornis spinicollis*)
- Striated grasswren (*Amytornis striatus*)
- Striated pardalote (*Pardalotus striatus*)
- Striped honeyeater (*Plectorhyncha lanceolata*)
- Stubble quail (*Coturnix pectoralis*)
- Sulphur-crested cockatoo (*Cacatua galerita*)
- Superb fairy-wren (*Malurus cyaneus*)
- Superb fruit-dove (*Ptilinopus superbus*)
- Superb parrot (*Polytelis swainsonii*)
- Swift parrot (*Lathamus discolor*)

T

- Tasmanian native-hen (*Gallinula mortierii*)
- Tawny frogmouth (*Podargus strigoides*)
- Topknot pigeon (*Lopholaimus antarcticus*)
- Torresian crow (*Corvus orru*)
- Turquoise parrot (*Neophema pulchella*)

V

- Varied lorikeet (*Psitteuteles versicolor*)
- Variegated fairy-wren (*Malurus lamberti*)

W

- Wandering whistling-duck (*Dendrocygna arcuata*)
- Western corella (*Cacatua pastinator*)
- Western grasswren (*Amytornis textilis*)
- Western rosella (*Platycercus icterotis*)
- Western spinebill (*Acanthorhynchus supecilliosus*)
- White-breasted woodswallow (*Artamus leucorhynchus*)
- White-browed scrubwren (*Sericornis frontalis*)
- White-browed woodswallow (*Artamus superciliosus*)
- White-cheeked honeyeater (*Phylidonyris niger*)
- White-faced heron (*Egretta novaehollandiae*)
- White-fronted chat (*Epthianura albifrons*)
- White-headed pigeon (*Columbia Lleucomela*)
- White-naped honeyeater (*Melithreptus lunatus*)
- White-plumed honeyeater (*Ptilotula penicillatus*)
- White-quilled rock-pigeon (*Petrophassa albipennis*)
- White-winged chough (*Corcorax melanorhamphos*)
- White-winged fairy-wren (*Malurus leucopterus*)
- Wompoo fruit-dove (*Ptilinopus magnificus*)
- Wonga pigeon (*Leucosarcia melanoleuca*)

Y

- Yellow rosella (*Platycercus elegans flaveolus*)
- Yellow-billed spoonbill (*Platalea flavipes*)
- Yellow-faced honeyeater (*Caligavis chrysops*)
- Yellow-rumped mannikin (*Lonchura flaviprymna*)
- Yellow-rumped thornbill (*Acanthiza chrysorrhoa*)
- Yellow-tailed black-cockatoo (*Calyptorhynchus funereus*)
- Yellow-throated scrubwren (*Sericornis citreogularis*)
- Yellow-tufted honeyeater (*Lichenostomus melanops*)

Z

- Zebra finch (*Taeniopygia guttata*)